

INDEX

- Achiral diene ligands, 452, 453
Acid-catalyzed polymerization, 225, 228
Acrylamide, 21
Acrylate, 21
Acrylonitrile, 23
Addition polymerization, 21, 423–425
AIP-RIM, 439–442
Aldol reaction, 17, 20, 29, 35, 46, 49, 50, 52, 63, 66–74, 76, 77, 209, 218
Alkylation, 29, 30, 35, 46, 218
Alkynes, 232
Al-Li-BINOL complex, 340, 341
Al-Li-bis(binaphthoxide) (ALB), 293
Allylation, 28
AlMe₃, 337–339
Alternating copolymerization, 408, 410–412, 415, 418
Amidine, 213
Amidinium-carboxylate, 287
 α -Amination, 22, 49
Amine, 457, 475
Amine catalyst, 45
 β -Amino acid, 230
Amino-pyrimidinone, 168
 α -Aminoxylation reaction, 69
Anion-exchange resin, 21
Anionic polymerization, 21, 51, 473
 ring-opening polymerization, 271, 273, 274
ArgoGel, 20
Aromatic ketimines, enantioselective reduction of, 258
Asymmetric-induced polymerization (AIP), 425
Asymmetric polymerizations, 2, 9–11, 241
 of achiral *N*-substituted maleimides, 368
 of chiral *N*-substituted maleimides, 372
 of *N*-substituted maleimides, 365
 radical polymerizations, of *N*-substituted maleimides, 378
Asymmetric reaction, 126, 127, 132, 142, 143, 145, 457, 458, 473
 addition, 283–285
 alkylation, 306
 allylation, 259
 allylic alkylation, 258
 aminohydroxylation, 190

- Asymmetric reaction (*Continued*)
 Brown allylation, 183
 carbonyl-ene reaction, 299, 317
 Diels-Alder reaction, 283
 epoxidation, 286
 hydrogenation, 285, 458, 462, 463
 hydrosilylation, 259, 261, 288
 Michael reaction, 294
 reduction, 288
 Asymmetric synthesis, 126
 Atomic force microscopy (AFM), 238
 Atropisomerism, 268, 269
 Aza-Morita-Baylis-Hillman reaction, 49
 Azides, 232
 Azobenzene, 418
- Baeyer-Villiger oxidation, 415
 Bed, 131–133, 142, 151
 Biased library, 110
 Biginelli reaction, 169
 BINAP, 348
 Binaphthol, 389–391, 403, 404
 1,1'-Bi-2-naphthol (BINOL), 293, 324, 327–331, 337, 339, 358
 Biocatalysis, 151
 Biotins, 233
N,N'-Bis(acrylamide), 21
 Bis(oxazoline), 139, 140, 141
 1,2-Bis(phenylphosphino)ethane, 458
 Bisphosphine, 470, 471
 Block copolymerizations, 229
 Block copolymers, 251
 Borane, 462, 464, 470, 478
 Boron enolates, 163
 α -Bromination, 25
 Brønsted acid, 50
 Bulk polymerization, 21
t-BuOOH, 344–347
- β -Carbolines, 176
 Carbon monoxide, 409, 412, 413
 Cascade reaction, 52
 Catalyst immobilization
 bottom-up approach, 66, 71, 74, 81, 84
 postmodification strategy, 66, 71, 74, 83, 84
 Catalyst(s), 125, 127, 132, 134–136, 143–145, 152
 analog, 311
 control, 409, 415
 Cation-exchange resin, 21
 Cationic polymerization, 21
 C_2 axis of symmetry
 acyclic olefin monomer, 366
 cyclic olefin monomer, additional polymerization of, 366–367
 C_2 chiral
 biaryl, 267–270, 274, 277, 289, 290
 binaphthyl, 268, 271, 277, 280, 283
 spirobifluorene, 274, 277, 282
 Cellulose, 20
 Chain-end control, 409
 Charge relay system, 226
 Chiral, 126, 132, 133, 135–137, 139, 142, 147, 150–152
 auxiliary, 158
 catalyst, 223
 center, 457
 cocatalysts, 433, 434, 436
 discrimination using poly(*N*-substituted maleimide), 378
 imprint effect, 446
 initiators, 236, 248
 ligand(s), 119, 213, 218, 467, 483
 memory, 262
 multidentate ligand, 315
 organocatalysts, 4–6
 poly(diphenylacetylene) membranes, 441
 polymer catalysts, 255
 polystyrene monolith, 444–446
 recognition, 209
 stationary phase (CSP), 209, 378
 surfactant monomer, 302
 synthesis, 158
 Chirality, 424, 426, 432, 433, 438
 inducer, 22
 of 1-mono-/1,1-disubstituted and 1,2-disubstituted olefins, 365
 propagation of, 284
 Chirogenic center, 415
 Chlorination, 49
 α -Chlorination, 25, 35
 Chloromethylstyrene, 20
 Cholesteric liquid crystals, 244
 Chromatographic resolution, 239
 Cinchona alkaloid, 22, 23

- Cinchona alkaloid quaternary ammonium salt, 23, 28, 29
 Cinchonidine, 22
 Cinchonine, 22
 Circular dichroism (CD), 201, 203–205, 394, 410
 spectroscopy, 225
 spectrum, 471
 Click reaction, 20, 232
 CMHP, 347, 348
 Column-based flush and flow system, 25
 Combinatorial approach, 157
 Combinatorial chemistry, 17
 Combinatorial decoration, of natural products, 184
 Condensation polymerization, 424, 448, 449
 Configurational chirality, 409
 Configurational isomerization, 207, 208
 Conjugate addition of nitroalkene, 22
 Conjugated polymer, 271, 272
 π -Conjugated polymers, 423–425, 427
 Continuous-flow reactions, 69
 Continuous flow systems, 1, 3, 8, 18
 Convergent method, 473
 Corey-Bakshi-Shibata asymmetric reduction, 49
 Cotton effect, 207, 213, 471, 473, 475
 Coupling efficiency, 21
 Coupling reaction, 18, 20
 Cross-coupling, 271, 389–399, 403, 404
 Crown ether, 480, 484
 12-Crownether-4, 480
 α -Crystal, 418
 β -Crystal, 418
 C_2 -symmetric ligand, 410
 Cyanation reaction, 22, 136
 Cyanine, 211, 212
 Cyclic carbonate, 271, 273, 274
 Cycloaddition, 22, 136
 Cyclopropanation, 22, 139–141, 287, 288

 Darzens condensation, 29
 Decarboxylation, 22
 Degree of cross-linkage, 21, 22
 Dendrimer, 323, 355–357, 473
 Dendrimer supported BINOL (DSB), 294
 Dendrimer-supported chiral catalysts, 6
 Dendritic catalysts, 71
 Dendronized polymer, 323, 358, 359

 Density functional theory(DFT)
 calculation, 244
 Depinanylsilylation, 443, 445
 Deprotection, 20, 22
 Desymmetrization, 102, 111
 meso-compound, 22
 meso-cyclic anhydride, 27
 Dialkylzinc, 132–135
 enantioselective addition of, 256
 Diarylprolinol, 49
 Diarylprolinol silyl ether, 80–83
 Diastereomer, 459
 Diazomethane, esterification by, 242
 Diblock copolymer, 252
 Diels-Alder reaction, 20, 29, 35, 38–41, 136–139
 α , ω -Diene, 414
 Differential scanning calorimetry (DSC), 465
 Dihydropyrimidines, 170
 Dihydroquinidine, 25
 Diisopropylethylamine, 28
 4-(Dimethylamino)pyridine (DMAP), 27
 Dimethylpoly(ethylene glycol) (DiMePEG), 43
 DIPAMP, 458
 Dipeptide, 93, 103, 107, 109, 118
 2,5-Diphenyl-2,5-diphosphahexane, 458
 18-Diphosphacrown-6, 480, 481
 1,4-Diphosphacyclohexane, 475, 477
 1,3-Dipolar cycloaddition, 35, 38, 337, 338
 Direct aldol reaction, 262
 Direct asymmetric aldol reaction, 103
 Directed library, 111
 2,5-Di(*tert*-butyl)-2,5-diphosphahexane, 458
 Diversity-oriented synthesis (DOS), 188
 DNA, 201
 DNA-bound copper catalyst, 283
 Dodecaphosphine, 466, 478
 Double activation, 109
 Double-helical, 287, 288, 459, 460
 Dynamic helical polymer(s), 203, 207, 216
 Dysidiolide analogs, 180

 Electrospinning, 82
 Emulsion polymerization, 21
 Enamine catalyst, 53
 Enantiomerically pure compound, 17

- Enantiomeric excess (*ee*), 458
 Enantiomer-selective polymerization, 230
 Enantiomorphic-site control, 409
 Enantioselective adsorption, 444, 446
 aldol reaction, 164
 cycloaddition, 173
 epoxidation, 257
 permeation, 436, 438, 442, 443
 pervaporation, 442
 Suga-Ibata reaction, 191
 synthesis, 157
 Enantioselectivity, 209, 218
 Enders cascade, 81
 Enders cascade reaction, 52
 Ene-thiol click reaction, 23
 Enzyme, 18, 46, 92–94, 105
 Epoxidation, 29, 35, 52, 341–348
Erythro-diisotactic structure, 367
Erythro-disyndiotactic structure, 367
 ESR, 454
 Ethylene glycol dimethacrylate, 21
 Ethylene oxide, 21
 Exciton-coupled circular dichroic method, 376
 Exiton coupling, 450

 Ferrocene, 237
 Fluoresce, 231
 α -Fluorination, 24
N-Fluorobenzenesulfonimide (NFSI), 24
 Friedel-Crafts alkylation, 22, 35, 40
 Fullerene(s), 213–216

 Galf-life, 451
 Galvinoxyl, 446, 447, 449, 450, 454
 Ga-Na-bis(binaphthoxide) (GaSB), 293
 Gas phase polymerization, 21
 Gel, 127, 129, 130, 132–135, 137
 Gel permeation chromatography (GPC), 470
 Glass transition temperature (T_g), 465
 Glycine Schiff base, 29
 Green chemistry, 18
 Grignard reaction, 20
 Grignard reagents as initiators, 244

 Hajos-Parrish-Eder-Sauer-Wiechert reaction, 17
 α -Halogenation, 22

 Helical conformation, 417, 419, 427, 431, 439, 440, 442, 444, 452
 Helical foldamer conformation, 449
 Helical polymers, 2, 3, 6–7, 9–11, 51, 52
 Helical reversals, 203
 Helical sense, 201, 203–205, 207, 213, 216
 Helicity induction, 205, 207, 213, 218
 Helicity memory, 203, 205, 208, 209, 213, 216, 218, 219, 242
 α -Helix (alpha-helix), 92, 94, 97
 Helix inversion, 203, 205, 213, 216, 253
 Helix-sense-selective polymerization (HSSP), 10, 202, 218, 284, 425, 427, 429, 430, 433, 434
 Helix-sense-selectivity, 452
 β -Helix structure, 228
 Heteroatom chiral polymers, 10
 Heterocyclic compound libraries, 168
 Hetero-Diels-Alder reaction, 174, 336, 337
 Heterogeneous system, 18, 132, 147
 Hetero Michael addition, 161
 Hexaphosphine, 461, 462, 464–466
 High performance liquid chromatography (HPLC), 209, 216
 chemical-bonded-type chiral stationary phases (CSPs) synthesis, 384
 Huisgen cycloaddition, 233
 Hydrogenation, 349, 351, 353–355
 Hydrogen bonds, 230, 237, 429–431, 434, 454
 catalyst, 53
 Hydrophosphonylation, 22
 Hydrosilylation, 218
 α -Hydroxylation, 22
cis-4-Hydroxy-L-proline, 69
trans-4-Hydroxy-L-proline, 65, 69, 72
 Hyperbranched polymers, 2, 5, 6, 9–10, 389, 390, 394, 396, 397, 399, 400, 403

 Imine, hydrocyanation of, 29
 Iminium catalyst, 53
 Imidazolidin-4-one, 35
 Immobilization, 18, 21, 293
 Au-MPC, 307
 catalyst analog, 311
 dendrimer, 294
 dendron, 296
 gold cluster, 307
 metal-bridged polymer, 314
 Micelle, 302

- monolayer, 307
- MPC, 307
- Imprinted nanogel, 74
- Indolactam library, 187
- Induced CD (ICD), 203, 205, 211–213, 216, 217
- In-situ* chiral desubstitution, 442
- In-situ* desubstitution, 442–444
- Inversion energy, 457, 458
- Inversion of the helical sense, 261
- Ion exchange method, 21
- Ion exchange reaction, 34, 41
- Ionic bond, 32, 33
- Ionic liquids, 41, 66, 69
- Isocyanides, 224
- trans-cis* Isomerization, 270
- 2,2'-Isopropylidenebis(4-phenyl-2-oxazoline), 390
- Isotactic, 409–414, 416, 417, 419, 420
- Isoxazolines, 173
- JandaJel, 20
- Jørgensen-Hayashi catalyst, 81, 83. *See also* Diarylprolinol silyl ether
- Julia-Colonna reaction, 95–97, 99
- Ketone reduction, 334, 335, 336, 351, 353, 354, 355
- Khellactones, 180
- Kinetic resolution, 22, 27, 41, 91, 98–102, 111, 113, 283
- La (OⁱPr)₃, 347, 348
- Lantern, 175
- Ligand-to-metal charge-transfer (LMCT), 460
- transition, 281
- Light-harvesting, 231
- Like, 409
- Linear polymer supported BINOL (LPSB), 306
- Liquid crystalline, 246
- Liquid-phase combinatorial synthesis (LPCS), 159
- Liquid phase polymerization, 21
- Living polymerization, 245
- MacMillan catalyst, 35
- Macrobeads, 167
- Macrocyclic compound libraries, 165
- Macrocyclization, 165
- Macromolecular helicity memory, 52
- Macromonomers, 436, 437
- Macroporous, 127, 129, 130, 136
- Magnetic material, 446
- Main-chain chirality, 2, 5, 9
- Main-chain chiral polymers, 2, 4–6, 11, 35
- Main-chain functionalized polymers, 2, 5
- Majority rule, 203
- Maleimide polymer
 - structures of, 367
- Mannich reaction, 22, 49, 69
- Maruoka catalyst, 46
- Melting point (*T_m*), 465
- Membrane, 424, 426, 427, 432, 434, 436, 438–444
- Memory effect, 203, 205, 209, 213, 216–218
- Merrifield-like resin, 18, 20, 30, 41
- Mesyl-terminated PEG, 37
- Metal bridged polymer, 8, 314
- Metallosalen complex, 279–283
- Metal organic porous material (MOPM), 315
- Methylenation, 416
- Micelle derived polymer (MDP), 302
- Michael addition, 22, 23, 43, 46, 49, 340, 341
- Michael reaction, 66, 77, 79–83
- Microenvironment, 18, 55
- Microporous, 127, 129
- Microreactor, 126
- Mitsunobu reaction, 20
- Molar optical rotation, 412
- Molecular-scale voids, 441, 443, 446
- Mono-hydroxyl-terminated PEG, 25
- Monolayer protected metal cluster (MPC), 307
- Monolithic, 129–131, 133, 137, 140, 151, 444–446
- Montmorillonite, 41
- Morita-Baylis-Hillman reaction, 22
- Multi-angle light scattering (MALS), 303
- Multicomponent asymmetric catalysts (MAC), 7–8, 293
- Nafion, 50
- 2-Naphthol, 389–394, 396, 403
- Natural-product libraries, 176

- Nickel-catalyzed polymerizations, 225
- Nickel complexes, 224
- Nitroaldol reaction, 22
- Nitrone, 337, 338
- Nitronylnitroxide, 449
- Nitrophenyl ester, enantioselective hydrolysis of, 256
- Noncovalent immobilization, 55
- Nuclear magnetic resonance (NMR), 470
- Number-average molecular weight (M_n), 470
- Number-up, 126
- O_2 , 341, 342, 343
- Octaphosphine, 464, 466, 478
- α -Olefin, 409, 418
- Olefins, dihydroxylation of, 25, 50
- Oligo(ethylene glycol), 21
- Oligopeptide, 287
- One-handed helical polymers, 424, 425, 431, 436, 439, 452
- One-handed helicity, 434, 438
- One-handed helix, 471, 475
- One-pot sequential reaction, 106, 117
- Optical activity, 201, 202, 205, 207, 212, 213, 217
- Optically active phosphine, 461, 467
- Optically active polymer, 34, 457
- Optical resolution, 224, 246, 459, 460
 - using poly(*N*-substituted maleimide), 381
- Optical resolution membrane, 424, 426, 436–438
- Organocatalysis, 17, 147
- Organocatalyst(s), 209, 218
- Organonickel initiator, 251
- Oxa Diels-Alder reaction, 175
- Oxidation, 49, 143, 145
- Oxidative cross-coupling, 389, 391, 392, 394, 396, 399
 - polymerization, 389, 392–399
- μ -Oxodititanium complex, 299, 317
- Palladium, 407, 411
- Palladium initiator, 244
- PEA, 429, 430, 432, 433, 438, 450–453
- Pentablock copolymer, 253
- Pentaphosphine, 461, 462
- Peptide-based isocyanides, 226
- Peptide library, 100, 109, 111, 112
- Persistence length, 207
- Perylene diimide (PDI), 231
- Phase-transfer catalyst (PTC), 23, 28, 29, 34, 35
- Phenylacetylenes, 423–427, 429, 431, 432, 434–439, 441, 442, 448
- Phenylene-ethynylene, 471, 473
- Phosphine, 457, 462, 473
- Phosphoramidate, 27
- Phosphorus atom, 457, 475
- Photovoltaic devices, 231
- Piperazinediones, 169
- Poly(acetylene)s, 203, 205, 207, 219, 242, 255, 256
- Poly(acrylamide), 20
- Poly(acrylate), 20
- Poly(acrylic acid), 20
- Polyaddition, 21
- Poly(1-alkene-*alt*-CO), 419
- Poly(allylamine), 216
- Poly(amino acid), 50, 93, 94, 96
- Polyaniline, 217
- Poly(BINAP), 348, 349, 351, 352, 354
- Poly(binaphthyl-salen complex), 279
- Poly(BINOL), 324–331, 333–347
- Poly(carbodiimide)s, 203
- Polycarbonate, 271, 273, 274
- Polycarbosilane, 457
- Polycarbosiloxane, 457
- Poly(4-carboxyphenyl isocyanide), 207, 218
- Polychloral, 202
- Polycondensation, 21
- Poly(ethylene glycol) (PEG), 20, 66, 68, 76, 79, 83
- Poly(ethylene glycol-acrylamide) (PEGA), 76
- poly(ethylene imine), 20
- Poly(ethylene oxide) (PEO), 20
- Polyguanidine, 202
- Poly(isocyanate), 203, 285
- Poly(isocyanide)s, 52, 208, 209, 218, 219, 224
- Polyketone, 407, 409–411, 413–420
- Polymer, 457, 466, 469, 471, 475, 477
- Polymer catalyst, 209, 218
- Polymer-coated mesocellular form (MCF), 40

- Polymeric chiral organocatalyst, 5
- Polymeric chiral salen ligand, 5
- Polymer-immobilized catalysts/
reagents, 192
- Polymer-immobilized chiral
organocatalyst, 17
 - acidic, 50, 51
 - basic, 27, 28
 - cinchona alkaloid, 23–27
 - cinchona alkaloid quaternary ammonium
salt, 28–35
 - diarylprolinol silyl ester, 49
 - MacMillan catalyst, 35–42
 - Maruoka catalyst, 46
 - peptide, 50
 - poly(amino acid), 50
 - prolinamide, 49
 - proline, 49
 - pyrrolidine, 42–46
- Polymer-immobilized peptides, 50
- Polymerizability, 22
- Polymer matrix, 18
- Polymer support, 17, 21
 - bisBINOL, 296
- Poly(methacrylate)s, 255, 259, 285
- Poly(methyl methacrylate) (PMMA),
213–215, 219
- Poly(*N*-acryloxy succinimide), 20
- Poly(*N*-(4-ethynylbenzyl)ephedrine), 284
- Poly(*N*-propargylamide), 288
- Poly(*N*-substituted maleimide)
 - absolute stereochemistry of, 372
- Polypeptide, 29
- Poly(phenylacetylene)s (PPA), 52, 203, 205,
207, 209, 211, 216, 287, 423–427, 429,
435, 436, 439, 446, 447
 - membranes, 439–443
- Poly(phenyleneethynylene), 424, 425, 443
- Poly(1,3-phenyleneethynylene), 446,
448, 449
- Poly(phenyl isocyanide), 289
- Poly(1-phenylvinylene)s, 423
- Poly(propylene-*alt*-CO), 409–411, 413, 416
- Poly(quinoxaline-2,3-diyl)s, 202, 218, 288
- Poly(quinoxaline)s, 244
- Polyradical, 446–454
- Polysilanes, 203
- Polysiloxane, 457
- Poly(*(S)*-*N*- α -methylbenzylmaleimide)
 - X-ray diffraction (XRD) diagrams
for, 375
- Polystyrene, 217
- Poly(styrene-*alt*-CO), 409, 411, 419
- Polystyrene based catalysts
 - cross-linked, 67, 69, 79, 81
 - linear, 65, 70, 73, 76, 82
- Polysulfoxide, 457
- Poly(*t*-butyl isocyanide), 201
- Polytopic ligand, 279
- Poly(trityl methacrylate), 259
- Poly(vinyl alcohol), 20
- Porphyrins, 209–211, 231, 236
- Privileged structures, 168
- Prolinamide, 27, 49
- Proline, 46
- Protonation, 22
- P-stereogenic bisphosphine, 458, 464, 465,
470, 473
- P-stereogenic oligomer, 458, 464
- P-stereogenic polymer, 458, 470, 473, 474
- Pyrene, 233
- Pyrrolidine, 41, 43
- Quaternarization reaction, 34
- Quaternary ammonium salt, 6
- Quinazoline alkaloids, 178
- Quinidine, 22
- Quinine, 22, 23
- Quinoline, 22
- Quinoxalinones, 172
- Racemization, 248, 451, 457
- Radical copolymerization, 20, 23, 33
- Radical polymerization, 21
- Reagent(s), 125, 126, 130–132, 135,
145, 150
- Recrystallization point (T_c), 465
- Reduction, 52, 141, 142, 415, 416
- Reused, 261
- Reversible addition-fragmentation chain-
transfer polymerization, (RAFT), 73
- Reversible switch of helical chirality, 255
- Rhodamine dye, 233
- RIM, 427, 431, 432, 439–445
- Ring-opening polymerization, 21
- Robinson annulations, 46, 49, 63, 67, 77

- Ruthenium complex, 288
- Salen complex, 279, 287
- Salt-bridge, 212, 287
- Sarcodictyins, 186
- Scale-up, 126
- Scanning tunneling microscopy (STM), 303
- Scavenger(s), 125, 150
- Screw-sense selectivity(ies), 234, 236, 241, 249–251
 polymerization, 226, 236, 247
- Secondary structure, 91, 94, 99, 119
- Selectfluor, 24
- Selective cyclic aromatization(SCAT), 438–439
- α -Selenenylation, 49
- Self-supporting-membrane-forming abilities, 436
- Sergeants and soldiers effect, 203
- S factor, 43
- Side-chain chirality, 2, 9
- Side-chain functionalized polymers, 2
- Silyl enol ester, 24
- Site isolation, 53
- Size-exclusion chromatograph (SEC), 303
- Solid-phase organic synthesis (SPOS), 159
- Solid-phase peptide synthesis, 17, 18, 50
- Solid phase polymerization, 21
- Solution polymerization, 21
- Solvatochromism, 452
- Solvent-dependant induction of helical sense, 238
- Sonogashira-Hagihara coupling, 473
- (–)-Sparteine, 465, 466, 469, 480, 483
- Specific rotation, 467, 475
- Spirobifluorene, 274, 277
- Spirochromanones, synthesis of, 77
- Spirocyclic compound libraries, 160
- Spiroketal, 417, 418, 420
- Stability, 136, 137, 138, 151, 153
- Star-branched polymer, 53
- Static helical polymers, 202, 203, 218
- [2+2] Staudinger reaction, 23
- Stereochemical diversification, 174
- Stereo-combinatorial synthesis, 182
- Stereocomplex, 419
- Stimuli-responsive, 270
- Strecker reaction, 22
- Styrene, 407–409, 411–413, 419
 N-Substituted maleimides
 anionic polymerization mechanism of, 371
- Sulfonamide, 25
- α -Sulfonylation, 22
- Supercritical, 142, 151
- Suspension polymerization, 21, 40
- Suzuki-Miyaura coupling reaction, 20
- Syndiotactic, 407, 409, 411, 413, 414, 419
- Syndiotactic polymer, 469
- TADDOL, 135, 136, 137, 138
- Taxoid library, 185
- TentaGel, 20
- TentaGel resin, 76, 77
- N*-Terminal prolyl peptide, 103, 107, 119
- N,N,N',N'*-Tetramethylethylenediamine (TMEDA), 470, 475
- Tetrapeptide, 100–102, 105, 111
- Tetraphosphine, 458, 459
- Thermochromism, 452
- Thermotropic liquid crystal, 239
- Thiohydantoin, 171
- Threo*-diisotactic structure, 367
- Threo*-disyndiotactic structure, 367
- Ti(O^{*i*}Pr)₄, 327, 328, 337, 347, 358
- Transfer hydrogenation, 51, 256
- π - π^* Transition band, 471
- Transition metal catalyzed polymerization, 21
- Transmission electron microscopy (TEM), 308
- Triblock copolymer, 252
- Tripeptide, 99, 101–103, 105, 107, 109, 119
- Triphenylmethyl methacrylate (TrMA), 473, 477
- β -Turn (beta-turn), 92, 99, 100, 102, 105, 111, 115–117
- Ultraviolet (UV)-vis absorption spectrum, 471
- Unlike, 409
- α , β -Unsaturated ketones, 341–348
- Vibrational CD, 213
- Vinyl ether, 337, 338

- Wang resin, 20
- Weight-average molecular weight (M_w), 470
- Wieland-Mischler ketone, 46
- Williamson ether synthesis, 481
- Williamson reaction, 20, 23, 41
- W/O emulsion polymerization, 444
- X-ray diffraction (XRD), 207, 466
- Yb(O^{*i*}Pr)₃, 346, 347
- Ytterbium trifluoromethanesulfonate, 392
- ZnEt₂, 327–332, 334–336, 341–346, 351, 354, 355, 357, 358, 360
- ZnMe₂, 332
- ZnPh₂, 332–334

